PATAMITPA MOTTA.TIIDOD CANCER INCIDENCE - I.OCAI. DIIRI.TC HEAI.TH

POPULATION ESTIMATES				CANCER INCIDENCE			LOCAL PUBLIC HEALTH		
									Per
Total 1	999 Populat	ion Est	14,230	(Cancer incider	nce is for	1998)	Activities Reported	Number	10,000
	nt Female		49.8	,		,			
				Primary Site		Number	Public Health Nursing		
Populat	ion per squ	are mile	17	<u></u>				352	248
	in state		63	Breast		15	Total visits	1.246	878
		ılation der		Cervical			Visits: Reason for	1,210	0,70
(1=highest population density, 72=lowest population density.)				Colorectal		9	Gen blth promotion	79	56
/2-1	owese popul	lacion acm	31Cy . /	Trachea, Bronchus	Lung	7	Gen hlth promotion Infant/child hlth	7.9 7.8	55
Age	Female	Male	Total	Prostate	s, nang	4	Infectious & parasitic	22	15
0-14			2,430	Other sites			Circulatory	8	6
15-19	480	1,230 530 380	1,020	Total		<u> 25</u> 60	Circulatory Prenatal	97	
20-24	380	330	750	IOCAI		00	Preliacai	17	12
	380	380		I ONG THE	IDM CARE		Postpartum	1 /	12
25-29	310	320	620	LONG-TE	ERM CARE -		TITE BUILDING	722	E1E
30-34	310	330	650				WIC Participants	/33	515
35-39	500	470	970	Community Options	and MA Wa	iver			
40-44	530	570	1,110	Programs			Clinic Visits	4,451	3,135
45-54	950		1,970	# Cl	Lients	Costs	Immunization	2,761	1,945
55-64	870	900	1,770	COP	85	\$172,727	Blood pressure	•	•
65-74			1,590	MA Waivers *					
75-84	560	460	1,010	COP MA Waivers * CIP1A CIP1B CIP2	5	\$94,018	Environmental Contacts		
85+		100	350	CIP1B	27	\$271,970	Env hazards	63	44
Total	7,090	7,140	14,230	CIP2	6	\$81,252	Public health nuisance	632	445
	•	•	·	CIP2 COP-W	55	\$262,804			
Age	Female	Male	Total	CSLA	ě	\$0			
0-17	1,460	1,540	Total 3,030	CSLA Brain Inj	1	\$61.197			
18-44	2,230	2,290	4.520	Total COP/Wvrs	116	\$943,968			
45-64		1,920	4,520 3,740	10001 001,		4,220,000			
65+			2,950	\$61,809 of the	ahowe Wa	iver costs	Health Education		
Total		7,140	14,230	were paid as loc			Community sessions	9.8	69
Total	7,000	7,110	11,250	using COP funds.			Community attendance	711	503
/ Dorrowtrr	estimates	for 100E	220				School sessions	1	
(Poverty	d in the 19	101 1995 c	are	not included in above COP costs.			School attendance	1	
				* T.T		_	School attendance	Τ	1
	statistics		ıpaatea	* Waiver costs rep			a. cc!		
after t	he 2000 Cer	isus.)		include federal	funding.		Staffing - FTEs		
							Total staff Administrators	9	6.1
	EMPLO						Administrators	2	1.3
	wage for jo			Home Health Agenci Patients	les	1	Public health nurses Public health aides	2	1.7
by Unemployment Compensation \$21,068									0.6
Note: Average wage is based on place				Patients per 10,0	000 pop.	81	Environmental specialist	is .	•
of work, not place of residence.									
				Nursing Homes		2			
Labor Fo	Labor Force Estimates Annual Average			Licensed beds 147			LOCAL PUBLIC HEALTH FUNDING		
Civilia	n labor for	cce	6,906	Occupancy rate		94.6%	(funding data not a		
Numbe	r employed	- =	6,590	Residents on 12/3	31/98	141	(= ====================================		- /
Numbe	r unemplove	-d	6,906 6,590 316	Residents aged 65					
IInem	nlowment re	ate	4 6%	per 1,000 popul		44			
l orieni			T.U%		Lacion	I			

TOTAL LIVE BIRTHS		146	Birth Order	Births	Percent	Marital Status		
			First	62	42	of Mother	Births	Percent
Crude Live Birth Rate		10.3	Second	51	35	Married	98	67
General Fertility Rate	e	58.0	Third	23	16	Not married	48	33
-			Fourth or higher	10	7	Unknown	0	0
Live births with repo	rted		Unknown	0	0			
congenital anomalies		1 . %				Education		
			First Prenatal			of Mother	Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or 1	ess 1	1
Vaginal after			1st trimester	123	84	Some high schoo		18
previous cesarean	1	1	2nd trimester	22	15	High school	66	45
Forceps	0	0	3rd trimester	1	1	Some college	31	21
Other vaginal	116	79	No visits	0	0	College graduat		14
Primary cesarean	19	13	Unknown	0	0	Unknown	1	1
Repeat cesarean	10	7	OTHATIOWIT	O	O	OHAHOWH	_	_
Other or unknown	0	0	Number of Prenatal	1		Smoking Status		
Ocher of unknown	U	U	Care visits	Births	Percent	of Mother	Births	Percent
Birth Weight	Birthe	Percent	No visits	0	0	Smoker	50	34
<1,500 gm	2	1.4	1-4 visits	3	2	Nonsmoker	96	66
1,500-2,499 gm	3	2.1	5-9 visits	34	23	Unknown	0	0
2,500-2,499 gm	141	2.1 96.6	10-12 visits	74	23 51	Ulikilowii	U	U
	141	90.0	IU-IZ VISIUS		~ —			
		0 0	12:	2.2	77			
Unknown	0	0.0	13+ visits Unknown	33	23 1			
Unknown	0 Total B	irths	Unknown Low Birth Weight (under 2,500 gm)	2 1st Tr:	1 Trimest imester	er of First Prena 2nd Trimester	Other/	'Unknown
Unknown Race of Mother	0 Total B Births P	irths ercent	Unknown Low Birth Weight (under 2,500 gm) Births Percent	2 1st Tr: Births	1 Trimest imester Percent	2nd Trimester Births Percent	Other/	Percent
Unknown Race of Mother White	Total B Births P 132	irths ercent 90	Unknown Low Birth Weight (under 2,500 gm)	2 1st Tr:	1 Trimest imester	2nd Trimester	Other/	
Unknown Race of Mother White Black	0 Total B Births P	ercent 90 0	Unknown Low Birth Weight (under 2,500 gm) Births Percent	2 1st Tr: Births	Trimestimester Percent 83	2nd Trimester Births Percent 21 16	Other/	Percent
Unknown Race of Mother White	Total B Births P 132 0 14	ercent 90 0	Unknown Low Birth Weight (under 2,500 gm) Births Percent	1st Tr: Births 110	1 Trimest imester Percent	2nd Trimester Births Percent 21 16	Other/	Percent
Unknown Race of Mother White Black	Total B Births P 132 0	ercent 90 0	Unknown Low Birth Weight (under 2,500 gm) Births Percent	1st Tr: Births 110	Trimestimester Percent 83	2nd Trimester Births Percent 21 16	Other/	Percent
Race of Mother White Black Other	Total B Births P 132 0 14	ercent 90 0	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8	1st Tr: Births 110 . 13	Trimestimester Percent 83 . 93	2nd Trimester Births Percent 21 16 1 7	Other/Births 1 .	Percent
Race of Mother White Black Other	Total B Births P 132 0 14 0	ercent 90 0 10 0	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight	1st Tr: Births 110	Trimestimester Percent 83 . 93 .	2nd Trimester Births Percent 21 16 1 7	Other/Births 1 tal Visit	Percent 1
Race of Mother White Black Other Unknown	Total B Births P 132 0 14 0	ercent 90 0 10 0	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8	lst Tr: Births 110 . 13 .	Trimestimester Percent 83 . 93 . Trimestimester	2nd Trimester Births Percent 21 16 1 7 er of First Prena 2nd Trimester	Other/Births 1 tal Visit Other/	Percent 1
Race of Mother White Black Other Unknown	Total B Births P 132 0 14 0	ercent 90 0 10 0 rtility Rate	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight	1st Tr: Births 110	Trimest imester Percent 83 . 93 . Trimest imester Percent	2nd Trimester Births Percent 21 16 1 7	Other/Births 1 tal Visit Other/	Percent 1
Race of Mother White Black Other Unknown Age of Mother <15	Total B Births P 132 0 14 0 Fe Births	ercent 90 0 10 0	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8	1st Tr: Births 110	Trimest imester Percent 83 . 93 . Trimest imester Percent .	2nd Trimester Births Percent 21 16 1 7 er of First Prena 2nd Trimester Births Percent	Other/Births 1 tal Visit Other/	Percent 1
Race of Mother White Black Other Unknown Age of Mother <15 15-17	Total B Births P 132 0 14 0 Fe Births 0 7	ercent 90 0 10 0 rtility Rate	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight (under 2,500 gm) Births Percent	lst Tr: Births 110	Trimest imester Percent 83 . 93 . Trimest imester Percent . 71	2nd Trimester Births Percent 21 16 1 7 er of First Prena 2nd Trimester Births Percent 2 29	Other/Births 1 tal Visit Other/Births .	Percent 1
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19	Total B Births P 132 0 14 0 Fe Births 0 7 17	ercent 90 0 10 0 rtility Rate	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight (under 2,500 gm) Births Percent 1 5.9	lst Tr: Births 110	Trimest imester Percent 83 . 93 . Trimest imester Percent . 71 71	2nd Trimester Births Percent 21	Other/Births 1 tal Visit Other/	Percent 1
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Total B Births P 132 0 14 0 Fe Births 0 7 17 48	rtility Rate	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight (under 2,500 gm) Births Percent 1 5.9 1 2.1	1st Tr: Births 110 . 13 . 1st Tr: Births . 5 12 43	Trimest imester Percent 83 . 93 . Trimest imester Percent	2nd Trimester Births Percent 21	Other/Births 1 tal Visit Other/Births .	Percent 1
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Total B Births P 132 0 14 0 Fe Births 0 7 17 48 45	######################################	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight (under 2,500 gm) Births Percent 1 5.9	1st Tr: Births 110 . 13 . 1st Tr: Births . 5 12 43 38	Trimest imester Percent 83 . 93 . Trimest imester Percent	2nd Trimester Births Percent 21	Other/Births 1 tal Visit Other/Births .	Percent 1
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Total B Births P 132 0 14 0 Fe Births 0 7 17 48 45 24	rtility Rate	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight (under 2,500 gm) Births Percent 1 5.9 1 2.1	1st Tr: Births 110	Trimest imester Percent 83 . 93 . Trimest imester Percent	2nd Trimester Births Percent 21	Other/Births 1 tal Visit Other/Births .	Percent 1
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births P 132 0 14 0 Fe Births 0 7 17 48 45 24 5	######################################	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight (under 2,500 gm) Births Percent 1 5.9 1 2.1	1st Tr: Births 110 . 13 . 1st Tr: Births . 5 12 43 38	Trimest imester Percent 83 . 93 . Trimest imester Percent	2nd Trimester Births Percent 21	Other/Births 1 tal Visit Other/Births .	Percent 1
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Total B Births P 132 0 14 0 Fe Births 0 7 17 48 45 24 5 0	######################################	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight (under 2,500 gm) Births Percent 1 5.9 1 2.1	1st Tr: Births 110	Trimest imester Percent 83 . 93 . Trimest imester Percent	2nd Trimester Births Percent 21	Other/Births 1 tal Visit Other/Births .	Percent 1
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births P 132 0 14 0 Fe Births 0 7 17 48 45 24 5	######################################	Unknown Low Birth Weight (under 2,500 gm) Births Percent 5 3.8 Low Birth Weight (under 2,500 gm) Births Percent 1 5.9 1 2.1	1st Tr: Births 110	Trimest imester Percent 83 . 93 . Trimest imester Percent	2nd Trimester Births Percent 21	Other/Births 1 tal Visit Other/Births .	Percent 1

415

344

0

Pedestrian 2

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED* CASES OF SELECTED DISEASES fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS 186 Selected Crude Death Rate 1,307 Underlying Cause Deaths Rate Campylobacter Enteritis Heart Disease (total) Giardiasis Ischemic heart disease . Hepatitis Type A Hepatitis Type B**
Hepatitis NANB/C***
Legionnaire's Age Deaths Rate Cancer (total) 0 49 1-4 1 . Trachea/Bronchus/Lung . . . Legionnaire's 5-14 Colorectal 0 [1 28 Female Breast Lyme 15-19 1 4 4 11 . 22 1,241 44 2,759 46 4,560 55 15,530 20-34 35-54 Cerebrovascular Disease 13 Measles o l Meningitis, Aseptic Meningitis, Bacterial Lower Resp. Disease
Pneumonia & Influenza 5
10 Lower Resp. Disease . 0 0 55-64 0 65-74 Mumps Mumps Pertussis Motor vehicle 6
Diabetes 2 75-84 <5 85+ Salmonellosis <5 Infectious & Parasitic 4 Shigellosis 0 Tuberculosis 0 Suicide Infant Mortality Deaths Rate * 1999 provisional data * Rate for female breast cancer based ** Includes all positive HBsAg Total Infant 1 . on female population. test results Neonatal 1 Neonatal Postneonatal *** Unavailable at time of printing ALCOHOL AND DRUG ABUSE AS UNDERLYING Unknown OR CONTRIBUTING CAUSE OF DEATH Sexually Transmitted Disease Chlamydia Trachomatis 12
Genital Herpes <5 Race of Mother Alcohol Alcohol 1
Other Drugs 3
Both Mentioned . White Black Other Unknown Gonorrhea Nongonococcal Cervicitis 0 Nongonococcal Urethritis 0 ----- MOTOR VEHICLE CRASHES -----Syphilis Birth Weight Note: These data are based on location <1,500 gm 1
1,500-2,499 gm .
2,500+ gm .
Unknown . ----- IMMUNIZATIONS ----of crash, not on residence. Type of Motor Vehicle Crash Children in Grades K-12 by Persons Persons Compliance Level Injured Killed Compliant 2,218
Non-compliant 45
Percent Compliant 98.0 Total Crashes 178
Alcohol-Related 42 Perinatal With Citation: Mortality Deaths Rate For OWI 28 For Speeding 12 0
Motorcyclist 6 0
Bicyclist 1 0 Total Perinatal 1
Neonatal 1
Fetal .

Per Average Charge Per Average Charge 1,000 Stay 1,000 DISEASE / Average Per DISEASE / Stav Average Per AGE GROUP Number Pop (Days) Charge Capita Number Pop (Days) Charge Capita AGE GROUP Injury-Related: All Alcohol-Related Total 105 7.4 4.2 \$7,340 \$54 Total 30 2.1 4.8 \$3.482 \$7 <18 4 . 18-44 17 18 45-64 9 18-44 19 Pneumonia and Influenza 45-64 64 21.6 5.1 \$8,170 Total 109 65+ \$177 7.7 4.0 \$5,618 \$43 Injury: Hip Fracture <18 6. 45-64 14 28.4 55+ 84 28.4 Total 23 1.6 5.3 \$10,338 \$17 65+ 21 7.1 5.2 \$10,182 \$72 4.3 \$0 Injury: Poisonings Cerebrovascular Disease 45 3.2 Total 4 Total 4.2 \$6,529 \$21 1 18-44 1 45-64 41 13.9 4.2 \$6,527 65+ \$90 Psychiatric Chronic Obstructive Pulmonary Disease Total 89 6.3 3.4 \$4,742 Total 66 4.6 10.3 \$7,050 \$33 \$30 6 . 6 . <18 8 <18 18-44 34 7.5 4.3 \$3.010 18-44 \$23 45-64 45-64 12 . 65+ 12 . 21 5.6 3.3 \$4,505 56 18.9 3.7 \$5,206 12 . \$25 56 18.9 3.7 \$5,206 \$99 65+ Drug-Related Coronary Heart Disease Total 11 Total 71 5.0 2.5 \$6,037 \$30 18-44 6 45-64 24 6.4 1.6 \$4,517 65+ 46 15.6 2.9 \$6,896 \$29 \$107 Total Hospitalizations Total 1,616 113.5 3.3 \$5,153 \$585 211 69.9 3.2 \$3,117 Malignant Neoplasms (Cancers): All <18 \$218 18-44 45-64 Total 33 2.3 4.4 \$8,556 337 74.5 2.8 \$3,859 \$288

 18-44
 6
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .</td 255 68.2 2.9 \$5,421 \$370 813 274.9 3.7 \$6,134 \$1,686 65+ Neoplasms: Female Breast (rates for female population) ----- PREVENTABLE HOSPITALIZATIONS* ------Total 0 376 26.4 3.4 \$4,967 Total \$131 22 7.3 1.5 \$2,021 \$15 31 6.9 2.5 \$4,430 \$30 66 17.7 3.0 \$4,634 \$82 Neoplasms: Colo-rectal <18 18-44 45-64 65+ Total 4 . 4 65+ 257 86.9 3.8 \$5,370 Neoplasms: Lung \$467 * Hospitalizations for conditions where timely and effective Total ambulatory care can reduce the likelihood of hospitalization. Diabetes The definition of preventable hospitalizations in 1999 Total 22 1.5 4.1 \$5,715 \$9 is consistent with the 1997 definition. 65+ 12 Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.